

## VOLTAGE AND RESISTANCE PRODUCTS

# Microohmmeter and Bond Tester



Model R1L-B



- Rugged: MIL PRF2880F Class 3 (R1L-BR)
- Low Cost: (R1L-B)
- Portable: Long Rechargeable Battery Life
- Ranges: 2 m $\Omega$  to 20  $\Omega$
- Accuracy: 0.25% of reading
- Resolution: 1μΩ
- Simple Operation
- Offset Compensation

The R1L-B series Ohmmeter/Bonding Tester is a digital microohmmeter designed to measure resistances up to 20  $\Omega$ . It may be used in applications such as ground bond tests, motor, transformers, switch, circuit breaker, circuit resistance and other contact and connection resistance tests. The instruments utilize the four-terminal Kelvin technique to eliminate errors caused by the resistance of the connecting cables. Resistance readings are viewed on a  $3\frac{1}{2}$  digit display, reading from 1.999 to 199.9.

Front panel controls are simply a POWER ON-OFF switch and a rotary 5 range selector switch. Measurement connections are made via four front panel low thermal banana jacks.

Both instruments are battery operated and recharged from line power. The BR model is more suitable for portable "rugged" applications while the B model is suitable mainly for "in plant" environments.



#### VOLTAGE AND RESISTANCE PRODUCTS

# **Specifications**

Resistance Ranges and Test Currents				
Full Scale	Resolution		Test Current	
1.999 m <b>Ω</b>	1 μΩ	0.25% of reading ± 1 cou	unt 1.4 A	
19.99 m <b>Ω</b>	10 μΩ	0.25% of reading $\pm$ 1 cou	unt 140 mA	
199.9 mΩ	100 μ <b>Ω</b>	0.25% of reading $\pm$ 1 cou	int 14 mA	
1.999 Ω	1 mΩ	0.25% of reading $\pm$ 1 cou	unt 1.4 mA	
19.99 Ω	10 m <b>Ω</b>	0.25% of reading ± 1 cou	unt 140 μA	
Calibration	Operates as specified for at least one year without the need for recalibration. Internal controls are available to recalibrate all ranges.			
Environmental	Operating Temperature: 0 to +50 ° C		Storage Temperature: -40 to +71° C	
Physical and Power		R1L-B Size: 11.6"W X 4H" X 6.8"D Weight: 3.6 lb	R1L-BR Size: 10"W X 5"H X 9"D Weight: 6.7 lb Power: 120/240VAC 50/60 Hz 3 High Capacity 'C' NiCad rechargeable batteries included	

## Accessories

HTP-100	Pistol Grip Probes	
KTL-100	Kelvin Clip Leads	
KAK-1M	Kelvin Alligator Clips	
HKC-100	Large Kelvin Test Lead Set	
BKP-10	Standard Kelvin Probe	
MKP-6	Kelvin Probe	
MCP-6	Miniature Kelvin Coaxial Probe	

### View Accessory Datasheet



BKP-10 Probe Set with "B" Style Pins Installed


**BKP-10 Pin Options** 



BKP-10 HTP-100 Pistol Grip KTL-100



MKP-6 Probe Set with "B" Style Pins Installed



**MKP-10 Pin Options**